

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Flammkraft - Intensiv Gelreiniger
Unique Formula Identifier : J0M0-109Y-100N-1JW0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

PC 35 - Washing and cleaning products

Sectors of use [SU]

Consumer uses: Private households (= general public = consumers)

1.3 Details of the supplier of the safety data sheet

Supplier

FLAMMKRAFT GMBH

Street : Amelsbürener Straße 201

Postal code/City : 48163 Münster

Telephone : 02501 205998660

Information contact : info@flammkraft.com

1.4 Emergency telephone number

02501 205998660/02501 205998660 während der normalen Öffnungszeiten.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Met. Corr. 1 ; H290 - Corrosive to metals : Category 1 ; May be corrosive to metals.

Skin Corr. 1A ; H314 - Skin corrosion/irritation : Category 1A ; Causes severe skin burns and eye damage.

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Corrosion (GHS05)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

Signal word

Danger

Hazard components for labelling

POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3

ALKYLPOLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1

Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P310 Immediately call a POISON CENTER/doctor/....
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains ORANGE, SWEET, EXT..May produce an allergic reaction.

Special rules on packaging

Child-resistant fastenings (EN/862/ISO 8317).
Tactile warning according to EN/ISO 11683.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

POTASSIUM HYDROXIDE ; REACH No. : 01-2119487136-33-XXXX ; EC No. : 215-181-3; CAS No. : 1310-58-3

Weight fraction :	10 - < 25 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302
Specific Conc. Limits :	Skin Corr. 1A ; H314: C ≥ 5 % • Eye Dam. 1 ; H318: C ≥ 2 % • Skin Corr. 1B ; H314: C ≥ 2 % • Skin Corr. 1C ; H314: C ≥ 2 % • Eye Irrit. 2 ; H319: C ≥ 0,5 % • Skin Irrit. 2 ; H315: C ≥ 0,5 %

ALKYLPOLYGLYCOSIDE C8-10 ; REACH No. : 01-2119488530-36-XXXX ; EC No. : 500-220-1; CAS No. : 68515-73-1

Weight fraction :	1 - < 3 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318

ORANGE, SWEET, EXT. ; REACH No. : 01-2119493353-35-XXXX ; EC No. : 232-433-8; CAS No. : 8028-48-6

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

Weight fraction :	0,5 - < 1 %
Classification 1272/2008 [CLP] :	Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

Further ingredients

Part of the orange peel extract: D-LIMONENE ; REACH No. : 01-2119529223-47-XXXX ; EC No. : 227-813-5; CAS No. : 5989-27-5

Weight fraction :	0,5 - < 1 %
-------------------	-------------

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

After eye contact

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO2) Sand Nitrogen Extinguishing blanket

Unsuitable extinguishing media

Full water jet

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide , Carbon dioxide (CO₂)

5.3 Advice for firefighters

The product itself does not burn. Adapt extinguishing measures to suit the environment. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Fire fighting water forms corrosive alkaline solutions - slip hazard! Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product. Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

Do not store together with : Acid . Keep/Store only in original container. Protect against : Frost .

Hints on joint storage

Storage class (TAGS 510) : 8B

7.3 Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

8.1 Control parameters

DNEL-/PNEC-values

DNEL/DMEL

POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3

Limit value type : DNEL Consumer (local)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 1 mg/m³
Limit value type : DNEL worker (local)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 1 mg/m³

ALKYLPOLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1

Limit value type : DNEL Consumer (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 124 mg/m³
Limit value type : DNEL Consumer (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 357000 mg/kg bw/day
Limit value type : DNEL Consumer (systemic)
Exposure route : Oral
Exposure frequency : Long-term
Limit value : 35,7 mg/kg bw/day
Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 420 mg/m³
Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 595000 mg/kg bw/day

ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6

Limit value type : DNEL Consumer (local)
Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 92,9 µg/cm²
Limit value type : DNEL Consumer (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 7,78 mg/m³
Limit value type : DNEL Consumer (systemic)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 4,44 mg/kg bw
Limit value type : DNEL Consumer (systemic)
Exposure route : Oral
Exposure frequency : Long-term
Limit value : 4,44 mg/kg bw
Limit value type : DNEL worker (local)
Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 185,8 µg/cm²
Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 31,1 mg/m³
Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 8,89 mg/kg

PNEC

ALKYLPOLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 0,176 mg/l
Limit value type : PNEC (Aquatic, intermittent release)
Limit value : 0,27 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,0176 mg/l
Limit value type : PNEC (Sediment, freshwater)
Limit value : 1,516 mg/kg dw
Limit value type : PNEC (Sediment, marine water)
Limit value : 0,152 mg/kg dw
Limit value type : PNEC (Soil)
Limit value : 0,654 mg/kg dw
Limit value type : PNEC (Secondary poisoning)
Limit value : 111,11 mg/kg food
Limit value type : PNEC (Sewage treatment plant)
Limit value : 560 mg/l

ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 5,4 µg/l
Limit value type : PNEC (Aquatic, intermittent release)
Limit value : 5,77 µg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,54 µg/l

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

Limit value type :	PNEC (Sediment, freshwater)
Limit value :	1,3 mg/kg dw
Limit value type :	PNEC (Sediment, marine water)
Limit value :	0,13 mg/kg dw
Limit value type :	PNEC (Soil)
Limit value :	0,261 mg/kg dw
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	2,1 mg/l

8.2 Exposure controls

Personal protection equipment

Eye/face protection



Wear suitable safety goggles in case of splash.

Suitable eye protection

EN 166.

Skin protection

Hand protection



Suitable gloves type : EN 374.

Suitable material : NBR (Nitrile rubber)

Breakthrough time : 480 min.

Thickness of the glove material : 0.4 mm

Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

General information

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

SECTION 9: Physical and chemical properties

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid

Colour : colourless

Odour

fruity , sweetish

Safety characteristics

Melting point/freezing point :	(1013 hPa)	<=	-10	°C	
Initial boiling point and boiling range :	(1013 hPa)	approx.	100	°C	
Flash point :			not relevant		DIN EN ISO 13736
Auto-ignition temperature :			not relevant		
Flammability :			non-flammable		
Lower explosion limit :			not relevant		
Upper explosion limit :			not relevant		
Vapour pressure :	(20 °C)	<	2,3	hPa	Calculated
Density :	(20 °C)	approx.	1,1	g/cm ³	
Water solubility :	(20 °C)		completely miscible		
pH :	(20 °C)		14		
Flow time :	(20 °C)		not relevant		DIN-cup 4 mm
Cinematic viscosity :	(20 °C)		250 - 600	mm ² /s	
Relative vapour density :	(20 °C)		not determined		
Maximum VOC content (EC) :			0,5	Weight-%	
Maximum VOC content (Switzerland) :			0,5	Weight-%	
Taxable VOC content (Switzerland) :			0,5	Weight-%	

9.2 Other information

This product is not under the liability for taxation of VOC acc. VOCV (<= 3 % VOC).

SECTION 10: Stability and reactivity

10.1 Reactivity

Exothermic reaction with: Acid

May be corrosive to metals.

10.2 Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

May cause strong formation of hydrogen by contact with amphoteric metals (e.g. alumina, lead, zinc) - danger of

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

explosion.

10.4 Conditions to avoid

50 - Do not mix with acids.

10.5 Incompatible materials

Metal, base

10.6 Hazardous decomposition products

Hydrogen

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity

Parameter :	ATEmix
Exposure route :	Oral
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3)
Exposure route :	Oral
Species :	Rat
Effective dose :	365 mg/kg
Method :	OECD 425

Acute dermal toxicity

Parameter :	ATEmix
Exposure route :	Dermal
Effective dose :	> 2000 mg/kg

Acute inhalation toxicity

Parameter :	ATEmix
Exposure route :	Inhalation
Effective dose :	> 20 mg/l

Corrosion

Skin corrosion/irritation

Parameter :	Skin corrosion/irritation (POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3)
Result :	Causes severe burns
Method :	OECD 431
Parameter :	Skin corrosion/irritation (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Result :	Irritant

Causes severe burns.

Serious eye damage/eye irritation

Parameter :	Serious eye damage/eye irritation (POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3)
-------------	---

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

Result : Causes serious eye damage

Method : OECD 405

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Parameter : Skin sensitisation (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)

Species : Mouse

Result : Sensitising.

Method : OECD 429

Assessment/classification

EUH208 - Contains ORANGE, SWEET, EXT.. May produce an allergic reaction.

Sensitisation to the respiratory tract

No further relevant information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No further relevant information available.

Germ cell mutagenicity

No further relevant information available.

Reproductive toxicity

No further relevant information available.

STOT-single exposure

No further relevant information available.

STOT-repeated exposure

No further relevant information available.

Aspiration hazard

No further relevant information available.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Other adverse effects

None

Additional information

Preparation not tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter : LC50 (POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3)
Species : Fish
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 80 mg/l
Exposure time : 96 h

Chronic (long-term) fish toxicity

Parameter : NOEC (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Species : Danio rerio (zebrafish)
Evaluation parameter : Chronic (long-term) fish toxicity
Effective dose : 3,2 mg/l
Exposure time : 28 D
Method : OECD 204

Acute (short-term) toxicity to crustacea

Parameter : EC50 (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : > 100 mg/l
Exposure time : 48 h
Method : OECD 202

Parameter : NOELR (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) toxicity to crustacea
Effective dose : 0,48 mg/l
Exposure time : 48 h
Method : OECD 202

Parameter : EL50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) toxicity to crustacea
Effective dose : 1,1 mg/l
Exposure time : 48 h
Method : OECD 202

Chronic (long-term) toxicity to aquatic invertebrate

Parameter : NOEC (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 1 mg/l
Exposure time : 21 D
Method : OECD 202
Parameter : LOEC (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Species : Daphnia magna (Big water flea)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 2 mg/l
Exposure time : 21 D

Acute (short-term) toxicity to algae and cyanobacteria

Parameter : EC50 (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Species : *Desmodesmus subspicatus*
Evaluation parameter : Inhibition of growth rate
Effective dose : 27,22 mg/l
Exposure time : 72 h
Method : DIN 38412 / part 9

Parameter : NOELR (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : *Desmodesmus subspicatus*
Evaluation parameter : Inhibition of growth rate
Effective dose : 50 mg/l
Exposure time : 72 h
Method : OECD 201

Parameter : EL50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : *Desmodesmus subspicatus*
Evaluation parameter : Inhibition of growth rate
Effective dose : 150 mg/l
Exposure time : 72 h
Method : OECD 201

Toxicity to microorganisms

Parameter : EC50 (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Species : *Pseudomonas putida*
Evaluation parameter : Bacteria toxicity
Effective dose : > 560 mg/l
Exposure time : 6 h

12.2 Persistence and degradability

According to the recipe, contains no AOX. The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Biodegradation

Parameter : DOC reduction (ALKYL POLYGLYCOSIDE C8-10 ; CAS No. : 68515-73-1)
Inoculum : Degree of elimination
Evaluation parameter : Aerobic
Degradation rate : = 100 %
Test duration : 28 D
Evaluation : Readily biodegradable (according to OECD criteria).
Method : OECD 301E

Parameter : Biodegradation (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Degradation rate : >= 60 %
Test duration : 28 D

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Bioconcentration factor (BCF)
Value : 261 - 395
Parameter : Log K_{OW} (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Value : 2,78 - 4,88
No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

After neutralisation, reduction in toxic effects is observed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Waste codes/waste designations according to EWC/AVV

07 06 01* (Aqueous washing liquids and mother liquors)

20 01 29* (Detergents containing hazardous substances)

Other disposal recommendations

Dispose of waste according to applicable legislation. Dispose of contents/ container to an approved waste disposal plant. Dispose of waste according to applicable legislation. Dispose of contents/container to an appropriate recycling or disposal facility. Contaminated packages must be completely emptied and can be re-used following proper cleaning (Water (with cleaning agent)). Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

14.1 UN number or ID number

UN 1814

14.2 UN proper shipping name

Land transport (ADR/RID)
POTASSIUM HYDROXIDE SOLUTION

Sea transport (IMDG)
POTASSIUM HYDROXIDE SOLUTION

Air transport (ICAO-TI / IATA-DGR)
POTASSIUM HYDROXIDE SOLUTION

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 8
Classification code : C5
Hazard identification number (Hemler No.)
: 80
Tunnel restriction code : E
Special Provisions : LQ 11 · E 2
Hazard label(s) :



8

Sea transport (IMDG)

Class(es) : 8
EmS-No. : F-A / S-B
Special Provisions : LQ 11 · E 2 · IMDG-Code segregation group 18 - Alkalies
Hazard label(s) :



8

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 8
Special Provisions : E 0
Hazard label(s) :



8

14.4 Packing group

II

14.5 Environmental hazards

Land transport (ADR/RID) : No
Sea transport (IMDG) : No
Air transport (ICAO-TI / IATA-DGR) : No

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no. : 3, 75

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

Labelling for contents according to regulation (EC) No. 648/2004

< 5 % non-ionic surfactants

< 5 % anionic surfactants

< 5 % aliphatic hydrocarbons

perfumes (Limonene)

National regulations

Water hazard class

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

15. Water hazard class

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße)

AOX: adsorbierbare organisch gebundene Halogene

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)

CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung
ECHA: Europäische Chemikalienagentur (European Chemicals Agency)
EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)
GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classification and Labelling of Chemicals)
IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)
ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)
IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)
RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)
TRGS: Technische Regel für den Umgang mit Gefahrstoffen
VbF: Verordnung über brennbare Flüssigkeiten
VOC: flüchtige organische Verbindung (volatile organic compound)
VVER: Verordnung über die Vermeidung und die Entsorgung von Abfällen
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGH: Wassergefährdungsklasse

16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank
ECHA: Classification And Labelling Inventory
ECHA: Pre-registered Substances
ECHA: Registered Substances
EC_Safety Data Sheet of Suppliers
ESIS: European Chemical Substances Information System
GDL: Gefahrstoffdatenbank der Länder
UBA Rigoletto: Wassergefährdende Stoffe
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council
I-> COMMISSION REGULATION (EU) 2020/878 of 18 June 2020
Regulation (EC) No. 1272/2008 of the European Parliament and of the Council

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
Evaluation :
Met. Corr. 1 : UN Test, Part III of sub-section 37.4 (Test was carried out with a similar formulation.)
Acute toxicity (oral) : Calculation method.
Skin Corr. 1A : Calculation method.
Eye Dam. 1 : Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

Trade name : Flammkraft - Intensiv Gelreiniger
Revision date : 02.06.2025
Print date : 02.06.2025

Version (Revision) : 1.0.1 (1.0.0)

H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
